

OPPLE

CONSUMER LUMINAIRES

CATALOGUE 2018

OPPLE.COM



OPPLE.COM

OPPLE SHANGHAI OFFICE

Building V3, The MIXC, Lane 1799, Wuzhong Road
Shanghai, 201103 China

T +86 21 3855 0000

E GlobalService@OPPLE.com



CONTENT

CEILING LAMP-COMPACT

01-10

Diamond	Radar
White	Star Crown
Calla	Star Sunlight
Parrot	

CEILING LAMP-BEDROOM

11-28

Smart Twinkle	Blossom	Athena
White	floral	Bear
Calla	Star-Dream	Akira
Parrot	Stark-Leaf	Hikari
Halo	Star-Attic	Prism
Luna	U Plus	Prism Max
Ella	Star-Diamond	

CEILING LAMP-LIVING ROOM

29-36

Colorful
Cloud
Vesta

MIRROR LAMP-BATHROOM

37-46

Belles	Adam
Knight	Arael
Xiaobai	Ramile
Eva	

TABLE LAMP-READING & WORKING

47-70

Smart O	Tonroto	Cool
Pipe	Windy	Lucia
Studio	Reader	Grace
Explorer	Lotus	

WALL LAMP-OPTIMAL AMBIENCE

71-74

Tulip
Calla

SAVE OUR GREEN



LIGHT FOR
WELLNESS

A photograph showing a white, rectangular ceiling lamp fixture mounted on a green wall. The lamp is illuminated, casting a soft glow. Below the lamp, a red and white checkered tablecloth is visible on a wooden surface.

CEILING LAMP
-COMPACT



LED

IP44

IP44 Diamond

Order Name	HC1818-D0.2*42 Diamond
Power (W)	9W
Color temperature (K)	3000/5700K
Dimensions(mm)	180*180*37
Material	PMMA+PC
Luminous Flux	540
Area(m ²)	3-5



LED

IP44

IP44 Diamond

Order Name	HC180-D0.2*30 Diamond	HC230-D0.2*60 Diamond
Power (W)	6W	12W
Color temperature (K)	3000/5700K	3000/5700K
Dimensions(mm)	Φ180*37	Φ230*40
Material	PMMA+PC	PMMA+PC
Luminous Flux	400	800
Area(m ²)	2-4	5-8



LED

White

Order Name	LED HC2020 7.5W White	LED HC3030 15W White
Power (W)	7.5W	15W
Color temperature (K)	2700/5700K	2700/5700K
Dimensions(mm)	218*218*80	300*300*80
Material	PMMA+Steel	PMMA+Steel
Luminous Flux	500	1200



LED

White

Order Name	LED HC1860 4.5W White	LED HC350 16W -GP White	LED HC420 23W -GP White
Power (W)	4.5W	16W	23W
Color temperature (K)	2700/5700K	2700/5700K	2700/5700K
Dimensions(mm)	Φ186*80	Φ350*85	Φ420*85
Material	PMMA+Steel	PMMA+Steel	PMMA+Steel
Luminous Flux	300	1300	1900
Area(m ²)	8-12	8-12	8-12



LED

White

Order Name	HC350 18W AU Dim
Power (W)	18W
Color temperature (K)	3000/4000/5000K
Dimensions(mm)	Φ339*105
Material	PMMA
Luminous Flux	1600(10%-100%)





LED

Calla

Order Name	HC260 Calla
Power (W)	9.6W
Color temperature (K)	2700/4000/5700K
Dimensions(mm)	Φ260*100
Material	PMMA
Luminous Flux	800



LED

Parrot

Order Name	HC260 Parrot	HC350 Parrot
Power (W)	9.6W	16W
Color temperature (K)	2700/4000/5700K	2700/4000/6500K
Dimensions(mm)	Φ260*100	Φ300*90
Material	PMMA	PMMA
Luminous Flux	800	800



LED

SENSOR LAMP

Radar

Order Name	HC240 Radar
Power (W)	9W
Color temperature (K)	3000/4000/5700K
Dimensions(mm)	Φ240*80
Material	PMMA
Luminous Flux	600






LED

Star-Crown

Order Name	HC260 9.6W Star-crown
Power (W)	9.6W
Color temperature (K)	5700K
Dimensions(mm)	Φ278*84
Material	PMMA+PC
Luminous Flux	800
Area(m ²)	8-12



LED


Star-Sunlight

Order Name	HC260 9.6W Star-Sunlight
Power (W)	9.6W
Color temperature (K)	5700K
Dimensions(mm)	Φ278*84
Material	PMMA+PC
Luminous Flux	800
Area(m ²)	8-12



CEILING LAMP
-BEDROOM





Twinkle Twinkle

little star
How I wonder what you are!





Features

- 2-level brightness switch dimmer
- 6 colors decorative sensor dimmer
- More interesting, more happiness

Benefits

- Health - Flicker free and uniform light output
- Protect Child's sensitive Eyesight & For maximum visual comforts
- Unique Design- shape & light effect
- Star shape with twinkle shining effect makes you feel close to the nature
- Define the the ambient light & stimulate the imagination
- Dimmable - 2-level switch dimmer
- Care child's sensitive eyesight



LED

Smart Twinkle

Order Name	IC518 Dim 5700K Smart Twinkle
Power (W)	36W
Color temperature (K)	5700K+RGB
Dimensions(mm)	518*498*105
Material	PMMA+Metal
Luminous Flux	1600
Area(m ³)	12-16



LED

White

Order Name	HC350 White	HC420 White
Power (W)	16W	23W
Color temperature (K)	2700/4000/5700K	2700/4000/5700K
Dimensions(mm)	Φ300*90mm	Φ404*85mm
Material	PMMA	PMMA
Luminous Flux	1300	1900



LED

Calla

Order Name	HC350 Calla	HC420 Calla
Power (W)	16W	23W
Color temperature (K)	2700/4000/5700K	2700/4000/5700K
Dimensions(mm)	Φ350*110mm	Φ404*85mm
Material	PMMA	PMMA
Luminous Flux	1300	1900



LED

Parrot

Order Name	HC350 Parrot	HC420 Parrot
Power (W)	16W	23W
Color temperature (K)	2700/4000/5700K	2700/4000/5700K
Dimensions(mm)	Φ350*110mm	Φ404*85mm
Material	PMMA	PMMA
Luminous Flux	1300	1900





LED

Halo

Order Name	LED HC350 16W Calla	LED HC420 23W Calla
Power (W)	16W	23W
Color temperature (K)	4000/5700K	4000/5700K
Dimensions(mm)	Φ345*98	Φ420*102
Material	PMMA+Metal	PMMA+Metal
Luminous Flux	1300	1900
Area(m ²)	8-12	12-16



LED

Luna

Order Name	LED HC350 16W Luna	LED HC420 23W Luna
Power (W)	16W	23W
Color temperature (K)	4000/5700K	4000/5700K
Dimensions(mm)	Φ350*85	Φ425*85
Material	PMMA+Metal	PMMA+Metal
Luminous Flux	1300	1900
Area(m ²)	8-12	12-16



LED

Ella

Order Name	HC420 23W Ella
Power (W)	23W
Color temperature (K)	4000/5700K
Dimensions(mm)	Φ436*97
Material	PMMA+Metal
Luminous Flux	1900
Area(m ²)	12-16



LED

Blossom

Order Name	HC420 23W Blossom
Power (W)	23W
Color temperature (K)	4000/5700K
Dimensions(mm)	Φ420*85
Material	PMMA+Metal
Luminous Flux	1900
Area(m ²)	12-16



LED

Floral

Order Name	HC420 23W Floral
Power (W)	23W
Color temperature (K)	4000K
Dimensions(mm)	Φ470*85
Material	PMMA+Metal
Luminous Flux	1900
Area(m ²)	12-16



LED

Star-Dream

Order Name	HC420 Star-Dream
Power (W)	23W
Color temperature (K)	4000/5700K
Dimensions(mm)	Φ435*85
Material	ABS+PMMA
Luminous Flux	1900



LED

Star-Attic

Order Name	HC350 16W Star-Attic
Power (W)	16W
Color temperature (K)	4000/5700K
Dimensions(mm)	Φ380*85
Material	PMMA+Metal
Luminous Flux	1600
Area(m ²)	12-16



LED

Star-Leaf

Order Name	HC420 23W Star-Leaf
Power (W)	23W
Color temperature (K)	4000/5700K
Dimensions(mm)	Φ480*85
Material	PMMA+Metal
Luminous Flux	1900
Area(m ²)	12-16



LED

U Plus

Order Name	HC420 19W U Plus
Power (W)	19W
Color temperature (K)	4000K
Dimensions(mm)	Φ420*90
Material	PMMA
Luminous Flux	1200





LED

DIMMABLE

Star Diamond

Order Name	HC480 22W Star Diamond
Power (W)	7/22W
Color temperature (K)	3000/4500K
Dimensions(mm)	Φ480*90
Material	PMMA+Metal
Luminous Flux	540/1800
Area(m ³)	12-16

LED

DIMMABLE

Athena

Order Name	HC480 22W Athena
Power (W)	7/22W
Color temperature (K)	3000/4500K
Dimensions(mm)	Φ480*90
Material	PMMA+Metal
Luminous Flux	540/1800
Area(m ³)	12-16





DIMMABLE


LED

Bear

Order Name	HC450 Bear
Power (W)	22W
Color temperature (K)	3000/4500K
Dimensions(mm)	Φ450*86mm
Material	ABS+PMMA
Luminous Flux	1800

Bear

the lamp that all the babies want





LED

Akira

Order Name	HC420 23W Akira
Power (W)	23W
Color temperature (K)	4000K
Dimensions(mm)	Φ404*89
Material	PMMA+Metal
Luminous Flux	1900
Area(m ²)	12-16



LED

Hikari

Order Name	HC550 55W Dim Hikari
Power (W)	20/30/55W
Color temperature (K)	3000/4000/5700K
Dimensions(mm)	Φ616*92
Material	PMMA+Metal
Luminous Flux	1400/2500/3900
Area(m ²)	12-16



LED

Prism

Order Name	HC380 18W Prism
Power (W)	18W
Color temperature (K)	4000K
Dimensions(mm)	Φ380*90
Material	PMMA+Metal
Luminous Flux	1300
Area(m ²)	8-12



LED

Prism Max

Order Name	HC500 42W Dim Prism-Max
Power (W)	15/23/42W
Color temperature (K)	3000/4000/5700K
Dimensions(mm)	Φ500*98
Material	PMMA+Metal
Luminous Flux	900/1500/3000
Area(m ²)	16-20



CEILING LAMP
-LIVING ROOM





PINK



WHITE



BLUE



PURPLE



ORANGE



LED

DIMMABLE

Colorful

Order Name	HC586 45W Dim
Power (W)	45W
Color temperature (K)	6500K
Dimensions(mm)	Φ586*80
Material	PMMA+Metal
Luminous Flux	3164
Area(m ²)	18-24





LED

DIMMABLE

Cloud

Order Name	HC6565 Cloud
Power (W)	80W
Color temperature (K)	6500K
Dimensions(mm)	650*650*140
Material	PMMA+Metal
Luminous Flux	5625
Area(m ³)	25-35

Order Name	HC9965 Cloud
Power (W)	120W
Color temperature (K)	6500K
Dimensions(mm)	990*650*140
Material	PMMA+Metal
Luminous Flux	8597
Area(m ³)	30-40






Vesta

Order Name	HPL190 24W Vesta White	HPL190 24W Vesta Black
Power(W)	Max 24W	Max 24W
Color temperature(K)	E27	E27
Dimensions(mm)	Φ190*110	Φ190*110
Material	Metal+Glass	Metal+Glass



MIRROR LAMP
-BATHROOM





LED

Belles

Order Name	HML500A Belles	HML640A Belles
Power (W)	8W	12W
Color temperature (K)	3000/4000/6500K	3000/4000/6500K
Dimensions(mm)	500*160*96	640*160*96
Material	Hardware+PMMA	Hardware+PMMA
Luminous Flux	430	660



LED

Knight

Order Name	HML455A Knight	HML600 Knight
Power (W)	8W	12W
Color temperature (K)	3000/4000/6500K	3000/4000/6500K
Dimensions(mm)	455*125*45	600*125*45
Material	Hardware+PMMA	Hardware+PMMA
Luminous Flux	430	660





Xiaobai

Order name	LED HML549 10W 4000K XIAOBAI IBU
Power(W)	10W
CCT(K)	4000K
Dimensions(mm)	586*54*62mm
Material	Hardware+PMMA





LED

Eva

Order Name	HML605 Eva	HML849 Eva
Power (W)	12W	18W
Color temperature (K)	3000/4000/6500K	3000/4000/6500K
Dimensions(mm)	605*60*108	905*60*108
Material	Hardware+PMMA	Hardware+PMMA
Luminous Flux	812	1245



LED

Adam

Order Name	HML549 Adam	HML849 Adam
Power (W)	10W	18W
Color temperature (K)	3000/4000/6500K	3000/4000/6500K
Dimensions(mm)	625*50*70	925*57*70
Material	Hardware+PMMA	Hardware+PMMA
Luminous Flux	653	1061





LED

Arael

Order Name	HML549 Adam
Power(W)	12W
Color temperature(K)	3000/4000/6500K
Dimensions(mm)	586*115*60
Material	Hardware+PMMA
Luminous Flux	753



LED

Ramile

Order Name	HML549 Ramile
Power(W)	12W
Color temperature(K)	3000/4000/6500K
Dimensions(mm)	600*45*80
Material	Hardware+PMMA
Luminous Flux	695



TABLE LAMP
-READING & WORKING




Smart  makes your sweet dreams come true



LED

Smart O

Order Name	MT-HY03T-SmartO-RGB-BT
Power(W)	7W
Color temperature(K)	4000K+RGB
Dimensions(mm)	204*163*186
Material	PC+PMMA
Luminous Flux	200





Benefits

- **Flicker free and uniform light output**

Protect Your Eyesight & For maximum visual comforts

- **Dimmable - 3-level touch dimmer**

Adjusting the brightness by touch, 10%/40%/100%

- **Portable - More convenient**

Flexible The angle can be changed by your heart, it is easy to use

- **Charging- Very easy**

Micro USB 2.0, the battery capacity reached 500mAh

LED

Pipe

Order Name	MT 3W Pipe
Power(W)	3W
Color temperature(K)	4000K
Dimensions(mm)	118*66*420
Material	Aluminium+PMMA
Luminous Flux	260





LED

Studio

Order Name	MT White Studio	MT Gold Studio	MT Dim BC White Studio	MT Dim BC Gold Studio
Power(W)	6W	6W	8.5W	8.5W
Color temperature(K)	4000K	4000K	3000 to 6000K	3000 to 6000K
Dimensions(mm)	420*320*166	420*320*166	420*320*166	420*320*166
Material	ABS+Aluminium	ABS+Aluminium	ABS+Aluminium	ABS+Aluminium
Luminous Flux	250	250	400	400



Features

- Super big area of lighting, resulting in big coverage area of ray of light
- Straight down lighting technology makes the ray softer
- Lamp by metal and stable turn-lock clasp show the texture and the technology
- Dimmable version for 4 levels brightness, 3 color touch dimmer, adjusting the brightness and the color by your own

Benefits

- **Professional optical**
Soft ray of light keep eyes free from fatigue
- **Super big area of lighting**
Enough area of illumination keep eyes away from the excitation by strong contrast of light and shade
- **Sensitive—touch dimmer**
Adjusting the ray of light at your own sweet will
- **Convenient**
USB charge port brings convenience to your phone.



LED

Explorer

Order Name	MT 6W 4000K White Explorer
Power(W)	6W
Color temperature(K)	4000K
Dimensions(mm)	450*198*165
Material	Aluminium+PMMA
Luminous Flux	250

Explorer

Order Name	MT 6.5W Dim BC White Explorer
Power(W)	6.5
Color temperature(K)	3000K-6000K
Dimensions(mm)	450*198*165
Material	Aluminium+PMMA
Luminous Flux	280





LED

DIMMABLE

Toranto

Order Name	HTL 8.5W Dim 4000K Toranto White
Power(W)	8.5W
Color temperature(K)	4000K
Dimensions(mm)	200*156*450
Material	Aluminium+PMMA
Luminous Flux	400

Order Name	HTL 8.5W Dim 4000K Toranto Black
Power(W)	8.5W
Color temperature(K)	3000K-6000K
Dimensions(mm)	200*156*450
Material	Aluminium+PMMA
Luminous Flux	400





LED

Windy

Order Name	MT-HY03T-SmartO-RGB-BT
Power(W)	7W
Color temperature(K)	4000K+RGB
Dimensions(mm)	204*163*186
Material	PC+PMMA
Luminous Flux	200





LED

Reader

Order Name	LED MT 5W 4000K Reader
Power(W)	5W
Color temperature(K)	4000K
Dimensions(mm)	280*100*100
Material	Aluminium+PMMA
Luminous Flux	200



To be yourself
in the most relaxing state



LED

DIMMABLE

INFRARED SENSOR

Lotus

Order Name	LED-NL-Lotus-WBP (3in1)
Power(W)	0.3W
Color temperature(K)	4000K
Dimensions(mm)	182*210*19.5
Material	Aluminium+PMMA
Luminous Flux	14



LED

Cool

Order Name	Cool 1.5m 5W
Power(W)	5W
Color temperature(K)	4000K
Dimensions(mm)	300*22*14
Material	Aluminium+PMMA
Luminous Flux	300





LED

Lucia

Order Name	MT 3.5W Lucia Blue
Power(W)	3.5W
Color temperature(K)	4000K
Dimensions(mm)	468*95*15
Material	Aluminium+PMMA
Luminous Flux	300

LED

Lucia

Order Name	MT 3.5W Lucia Golden
Power(W)	3.5W
Color temperature(K)	4000K
Dimensions(mm)	468*95*15
Material	Aluminium+PMMA
Luminous Flux	300





LED

DIMMABLE

Grace	
Order Name	MT 5W Dim Grace
Power(W)	5W
Color temperature(K)	4000K
Dimensions(mm)	296*124*354
Material	Aluminium+PMMA
Luminous Flux	150lm/300lm/420lm/600lm



WALL LAMP

-OPTIMAL AMBIENCE





Tulip

Order Name MB115-Y60 Tulip
 Power(W) Max 60W(E27)
 Color temperature(K) E27
 Dimensions(mm) 235*115*155
 Material Metal+Glass

Order Name MB315-Y60*2 Tulip
 Power(W) Max 60W*2(E27)
 Color temperature(K) E27
 Dimensions(mm) 235*315*155
 Material Metal+Glass













Calla
















Order Name MB130-Y60 Calla
 Power(W) Max 60W(E27)
 Color temperature(K) E27
 Dimensions(mm) 310*130*165
 Material Metal+Glass

Order Name MB370-Y60*2 Calla
 Power(W) Max 60W*2(E27)
 Color temperature(K) E27
 Dimensions(mm) 320*370*170
 Material Metal+Glass

CEILING LAMP-COMPACT

Picture	SAP Code	Product Name	Model	Power (W)	Luminous Flux (lm)	CCT (K)	LifeTime (h)	Dimension (mm)				Outer Box Dimension (mm)				MOQ	Packing Quantity (pcs)
								Length	Width	Height	Diameter	Length	Width	Height	Volume (m ³)		
	140067245	LED-HC180-D0.2*30-Diamond-3000K-R-F	LED-HC180-D0.2*30	6	400	3000	2000	/	/	37	Φ180	425	395	210	0.03525	1000	20
	140067246	LED-HC180-D0.2*30-Diamond-5700K-R-F	LED-HC180-D0.2*30	6	400	5700	2000	/	/	37	Φ180	425	395	210	0.03525	1000	20
	140067253	LED-HC230-D0.2*60-Diamond-3000K-R-F	LED-HC230-D0.2*60	12	850	3000	2000	/	/	40	Φ230	495	450	260	0.05792	1000	20
	140067254	LED-HC230-D0.2*60-Diamond-5700K-R-F	LED-HC230-D0.2*60	12	850	5700	2000	/	/	40	Φ230	495	450	260	0.05792	1000	20
	140067247	LED-HC180-D0.2*30-Diamond-3000K-R-T	LED-HC180-D0.2*30	6	400	3000	2000	/	/	37	Φ180	425	395	210	0.03525	1000	20
	140067248	LED-HC180-D0.2*30-Diamond-5700K-R-T	LED-HC180-D0.2*30	6	400	5700	2000	/	/	37	Φ180	425	395	210	0.03525	1000	20
	140067255	LED-HC230-D0.2*60-Diamond-3000K-R-T	LED-HC230-D0.2*60	12	850	3000	2000	/	/	40	Φ230	495	450	260	0.05792	1000	20
	140067256	LED-HC230-D0.2*60-Diamond-5700K-R-T	LED-HC230-D0.2*60	12	850	5700	2000	/	/	40	Φ230	495	450	260	0.05792	1000	20
	140067249	LED-HC1818-D0.2*42-Diamond-3000K-S-F	LED-HC1818-D0.2*42	9	540	3000	2000	180	180	37	/	425	395	210	0.03525	1000	20
	140067250	LED-HC1818-D0.2*42-Diamond-5700K-S-F	LED-HC1818-D0.2*42	9	540	5700	2000	180	180	37	/	425	395	210	0.03525	1000	20
	140067251	LED-HC1818-D0.2*42-Diamond-3000K-S-T	LED-HC1818-D0.2*42	9	540	3000	2000	180	180	37	/	425	395	210	0.03525	1000	20
	140067252	LED-HC1818-D0.2*42-Diamond-5700K-S-T	LED-HC1818-D0.2*42	9	540	5700	2000	180	180	37	/	425	395	210	0.03525	1000	20
	140054619	HC260 9.6W 2700K Parrot	LED HC260 9.6W	9.6	800	2700	20000	/	/	85	Φ260	585	552	305	0.09849	600	10
	140054620	HC260 9.6W 4000K Parrot	LED HC260 9.6W	9.6	800	4000	20000	/	/	85	Φ260	585	552	305	0.09849	600	10
	140047014	HC260 9.6W 5700K Parrot	LED HC260 9.6W	9.6	800	5700	20000	/	/	85	Φ260	585	552	305	0.09849	600	10
	140054613	LED HC1860 4.5W 2700K White	LED HC1860 4.5W	4.5	300	2700	20000	/	/	80	Φ186	418	290	435	0.05273	1000	12
	140054614	LED HC1860 4.5W 4000K White	LED HC1860 4.5W	4.5	300	4000	20000	/	/	80	Φ186	418	290	435	0.05273	1000	12
	140047010	LED HC1860 4.5W 5700K White	LED HC1860 4.5W	4.5	300	5700	20000	/	/	80	Φ186	418	290	435	0.05273	1000	12
	140054615	LED HC2020 7.5W 2700K White	LED HC2020 7.5W	7.5	500	2700	20000	218	218	80	/	525	390	280	0.05733	600	10
	140054616	LED HC2020 7.5W 4000K White	LED HC2020 7.5W	7.5	500	4000	20000	218	218	80	/	525	390	280	0.05733	600	10
	140047011	LED HC2020 7.5W 5700K White	LED HC2020 7.5W	7.5	500	5700	20000	218	218	80	/	525	390	280	0.05733	600	10
	140054617	LED HC3030 15W 2700K White	LED HC3030 15W	15	1200	2700	20000	300	300	87	/	600	390	395	0.09243	600	6
	140054618	LED HC3030 15W 4000K White	LED HC3030 15W	15	1200	4000	20000	300	300	87	/	600	390	395	0.09243	600	6
	140047012	LED HC3030 15W 5700K White	LED HC3030 15W	15	1200	5700	25000	300	300	87	/	600	390	395	0.09243	600	6
	140047016	LED HC260 9.6W 5700K Star-Crown	MX260-D0.4*26	9.6	800	5700	25000	/	/	84	Φ278	623	330	340	0.06990	600	10
	520028000700	LED HC260 9.6W 3000K Star-crown	LED HC260 9.6W Star-crown	9.6	800	5700	25000	/	/	84	Φ278	623	330	340	0.06990	600	10
	140047015	HC260 9.6W 5700K Calla	LED HC260 9.6W	9.6	800	5700	20000	/	/	85	Φ260	585	552	305	0.09849	600	10
	140050678	HC350 16W 2700K Calla	LED HC350 16W -GP	16	1300	2700	/	/	/	85	Φ350	450	384	394	0.06808	600	5
	140050679	HC350 16W 4000K Calla	LED HC350 16W -GP	16	1300	4000	20000	/	/	85	Φ350	450	384	394	0.06808	600	5
	140050603	HC350 16W 5700K Calla	LED HC350 16W -GP	16	1300	5700	20000	/	/	85	Φ350	450	384	394	0.06808	600	5
	140056035	HC420 23W 2700K Calla	LED HC420 23W -GP	23	1900	2700	20000	/	/	85	Φ420	506	450	465	0.10588	600	6
	140056036	HC420 23W 4000K Calla	LED HC420 23W -GP	23	1900	4000	20000	/	/	85	Φ420	506	450	465	0.10588	600	6
	140056037	HC420 23W 5700K Calla	LED HC420 23W -GP	23	1900	5700	20000	/	/	85	Φ420	506	450	465	0.10588	600	6
	140047013	LED HC260 9.6W 5700K Star-Sunlight	MX260-D0.4*26-01	9.6	800	5700	25000	/	/	84	Φ278	623	330	340	0.06990	600	10

CEILING LAMP-BEDROOM

Picture	SAP Code	Product Name	Model	Power (W)	Luminous Flux (lm)	CCT (K)	LifeTime (h)	Dimension (mm)				Outer Box Dimension (mm)				MOQ	Packing Quantity (pcs)
								Length	Width	Height	Diameter	Length	Width	Height	Volume (m ³)		
	140060291	LED IC518 Dim 5700K Smart Twinkle	LED IC518 ST	36	1600	5700+RGB	15000	518	498	105	/	592	484	562	0.16103	300	4
	140066992	HC420 23W 2700K Floral	LED HC420 23W-GP	23	1900	2700	20000	/	/	85	Φ470	527	503	540	0.14314	600	5
	140066993	HC420 23W 4000K Floral	LED HC420 23W-GP	23	1900	4000	20000	/	/	85	Φ470	527	503	540	0.14314	600	5
	140066994	HC420 23W 5700K Floral	LED HC420 23W-GP	23	1900	5700	20000	/	/	85	Φ470	527	503	540	0.14314	600	5
		140050674	HC350 16W 2700K White	LED HC350 16W -GP	16	1300	2700	20000	/	/	85	Φ350	450	384	394	0.06808	600
	140050675	HC350 16W 4000K White	LED HC350 16W -GP	16	1300	4000	20000	/	/	85	Φ350	450	384	394	0.06808	600	5
	140050601	HC350 16W 5700K White	LED HC350 16W -GP	16	1300	5700	20000	/	/	85	Φ350	450	384	394	0.06808	600	5
	140056029	HC420 23W 2700K White	LED HC420 23W -GP	23	1900	2700	20000	/	/	85	Φ420	506	450	465	0.10588	600	6
	140056030	HC420 23W 4000K White	LED HC420 23W -GP	23	1900	4000	20000	/	/	85	Φ420	506	450	465	0.10588	600	6
	140056031	HC420 23W 5700K White	LED HC420 23W -GP	23	1900	5700	20000	/	/	85	Φ420	506	450	465	0.10588	600	6
		140067007	HC420 23W 2700K Star-Leaf	LED HC420 23W-GP	23	1900	2700	20000	/	/	85	Φ480	623	527	540	0.17729	600
	140067008	HC420 23W 4000K Star-Leaf	LED HC420 23W-GP	23	1900	4000	20000	/	/	85	Φ480	623	527	540	0.17729	600	6
	140067009	HC420 23W 5700K Star-Leaf	LED HC420 23W-GP	23	1900	5700	20000	/	/	85	Φ480	623	527	540	0.17729	600	6
		140050676	HC350 16W 2700K Parrot	LED HC350 16W -GP	16	1300	2700	20000	/	/	85	Φ350	450	384	394	0.06808	600
	140050677	HC350 16W 4000K Parrot	LED HC350 16W -GP	16	1300	4000	20000	/	/	85	Φ350	450	384	394	0.06808	600	5
	140050602	HC350 16W 5700K Parrot	LED HC350 16W -GP	16	1300	5700	20000	/	/	85	Φ350	450	384	394	0.06808	600	5
	140056032	HC420 23W 2700K Parrot	LED HC420 23W -GP	23	1900	2700	20000	/	/	85	Φ420	506	450	465	0.10588	600	6
	140056033	HC420 23W 4000K Parrot	LED HC420 23W -GP	23	1900	4000	20000	/	/	85	Φ420	506	450	465	0.10588	600	6
	140056034	HC420 23W 5700K Parrot	LED HC420 23W -GP	23	1900	5700	20000	/	/	85	Φ420	506	450	465	0.10588	600	6
		140051088	HC350 16W 4000K Star-Attic	LED HC350 16W-GP	19	1600	4000	20000	/	/	85	Φ380	647	440	452	0.12868	600
	140051087	HC350 16W 5700K Star-Attic	LED HC350 16W-GP	19	1600	4000	20000	/	/	85	Φ380	647	440	452	0.12868	600	7
		140051084	HC350 16W 4000K Halo	LED HC350 16W-GP	16	1300	4000	20000	/	/	98	Φ345	546	390	402	0.08560	500
	140051083	HC350 16W 5700K Halo	LED HC350 16W-GP	16	1300	5700	20000	/	/	98	Φ345	546	390	402	0.08560	500	5
	140066986	HC420 23W 2700K Halo	LED HC420 23W-GP	23	1900	2700	20000	/	/	102	Φ420	546	475	487	0.12630	500	5
	140066987	HC420 23W 4000K Halo	LED HC420 23W-GP	23	1900	4000	20000	/	/	102	Φ420	546	475	487	0.12630	500	5
	140066988	HC420 23W 5700K Halo	LED HC420 23W-GP	23	1900	5700	20000	/	/	102	Φ420	546	475	487	0.12630	500	5
		140051086	HC350 16W 4000K Luna	LED HC350 16W-GP	16	1300	4000	20000	/	/	105	Φ410	633	475	487	0.14643	600
	140051085	HC350 16W 5700K Luna	LED HC350 16W-GP	16	1300	5700	20000	/	/	105	Φ410	633	475	487	0.14643	600	8
	140066989	HC420 23W 2700K Luna	LED HC420 23W-GP	23	1900	2700	20000	/	/	98	Φ450	631	535	550	0.18567	600	5
	140066990	HC420 23W 4000K Luna	LED HC420 23W-GP	23	1900	4000	20000	/	/	98	Φ450	631	535	550	0.18567	600	5
	140066991	HC420 23W 5700K Luna	LED HC420 23W-GP	23	1900	5700	20000	/	/	98	Φ450	631	535	550	0.18567	600	5
		140066998	HC420 23W 2700K Ella	LED HC420 23W-GP	23	1900	2700	20000	/	/	97	Φ436	755	475	485	0.17393	600
	140066999	HC420 23W 4000K Ella	LED HC420 23W-GP	23	1900	4000	20000	/	/	97	Φ436	755	475	485	0.17393	600	6
	140067000	HC420 23W 5700K Ella	LED HC420 23W-GP	23	1900	5700	20000	/	/	97	Φ436	755	475	485	0.17393	600	6
		140054612	HC480 22W 3000/4500K Athena	LED HC480 22W Dim	22	1800	3000+4500	20000	/	/	90	Φ480	565	555	498	0.15616	300
	140066995	HC420 23W 2700K Blossom	LED HC420 23W-GP	23	1900	2700	20000	/	/	85	Φ420	660	462	475	0.14484	600	6
	140066996	HC420 23W 4000K Blossom	LED HC420 23W-GP	23	1900	4000	20000	/	/	85	Φ420	660	462	475	0.14484	600	6
	140066997	HC420 23W 5700K Blossom	LED HC420 23W-GP	23	1900	5700	20000	/	/	85	Φ420	660	462	475	0.14484	600	6
	140055128	HC450 22W 3000/4500K Bear	LED HC450 22W Dim	22	1800	3000+4500	20000	/	/	86	Φ450	565	534	512	0.15448	500	6
	520021000210	LED HC380 18W Prism 4000K	LED HC380 18W Prism	18	1300	4000K	20000	/	/	90	Φ380	520	426	438	0.09703	600	5
	520023000110	LED HC500 42W Dim Prism-Max 3000K/5700K	LED HC500 42W Dim Prism-Max	42	2500	3000K/5700K	20000	/	/	98	Φ500	566	454	576	0.14801	600	4
	520024000210	LED HC550 55W Dim Hikari 3000K/5700K	LED HC550 55W Dim Hikari	55	3600	3000K/5700K	20000	/	/	92	Φ616	690	690	134	0.06380	600	1
	520021000110	LED HC420 23W Akira 4000K	LED HC420 23W Akira	23	1900	4000K	20000	/	/	89	Φ404	578	458	470	0.12442	600	6
	140067170	LED HC350 18W Dim 3000K AU	LED HC350 18W Dim	18	1500	3000K	2500	/	/	85	Φ350	450	384	394	0.06808	600	5
	140067171	LED HC350 18W Dim 4000K AU	LED HC350 18W Dim	18	1500	4000K	2500	/	/	85	Φ350	450	384	394	0.06808	600	5
	140067172	LED HC350 18W Dim 5000K AU	LED HC350 18W Dim	18	1500	5000K	2500	/	/	85	Φ350	450	384	394	0.06808	600	5













CEILING LAMP-LIVING ROOM

Picture	SAP Code	Product Name	Model	Power (W)	Luminous Flux (lm)	CCT (K)	LifeTime (h)	Dimension (mm)				Outer Box Dimension (mm)				MOQ	Packing Quantity (pcs)
								Length	Width	Height	Diameter	Length	Width	Height	Volume (m ³)		
	140051634	LED HC586 45W Dim 6500K Colorful Purple	LED HC586 45W Dim	47	3164	6500	25000	/	/	80	Φ580	655	655	140	0.06006	500	1
	140051635	LED HC586 45W Dim 6500K Colorful Orange	LED HC586 45W Dim	47	3164	6500	25000	/	/	80	Φ580	655	655	140	0.06006	500	1
	140051636	LED HC586 45W Dim 6500K Colorful Blue	LED HC586 45W Dim	47	3164	6500	25000	/	/	80	Φ580	655	655	140	0.06006	500	1
	140051637	LED HC586 45W Dim 6500K Colorful Pink	LED HC586 45W Dim	47	3164	6500	25000	/	/	80	Φ580	655	655	140	0.06006	500	1
	140051638	LED HC586 45W Dim 6500K Colorful White	LED HC586 45W Dim	47	3164	6500	25000	/	/	80	Φ580	655	655	140	0.06006	500	1
	141146177	LED HC420 19W 4000K U Plus	HC420 19W	19	1200	4000	20000	/	/	90	Φ420	600	442	457	0.12120	600	6
	140060287	LED HC6565 5700K+3000K RS Cloud	LED HC6565 Cloud	80	5625	3000+5700	20000	650	650	140	/	745	745	147	0.08159	300	1
	140060288	LED HC6565 WIFI 5700K+3000K RG Cloud	LED HC6565 WIFI Cloud	120	8597	3000+5700	20000	990	650	140	/	1090	745	147	0.11937	300	1
	140060289	LED HC9965 WIFI 5700K+3000K RS Cloud	LED HC9965 WIFI Cloud	80	5625	3000+5700	20000	650	650	140	/	745	745	147	0.08159	300	1
	140060290	LED HC9965 5700K+3000K RG Cloud	LED HC9965 Cloud	120	8597	3000+5700	20000	990	650	140	/	1090	745	147	0.11937	300	1
	140050505	HPL190 24W Vesta White	HPL190 24W	Max 24	/	/	/	/	/	110	Φ190	515	515	445	0.11803	500	4
	140050506	HPL190 24W Vesta Black	HPL190 24W	Max 24	/	/	/	/	/	110	Φ190	515	515	445	0.11803	500	4


MIRROR LAMP-BATHROOM

Picture	SAP Code	Product Name	Model	Power (W)	Luminous Flux (lm)	CCT (K)	LifeTime (h)	Dimension (mm)				Outer Box Dimension (mm)				MOQ	Packing Quantity (pcs)
								Length	Width	Height	Diameter	Length	Width	Height	Volume (m ³)		
	140053335	LED-HML500A-D0.2*40-3000K-Belles	HML500A-D0.2*40-Belles	8	390	3000	30000	500	160	90	/	595	440	360	0.09425	600	12
	140053336	LED-HML500A-D0.2*40-4000K-Belles	HML500A-D0.2*40-Belles	8	420	4000	30000	500	160	90	/	595	440	360	0.09425	600	12
	140053337	LED-HML500A-D0.2*40-6500K-Belles	HML500A-D0.2*40-Belles	8	430	6500	30000	500	160	90	/	595	440	360	0.09425	600	12
	140053338	LED-HML640A-D0.2*60-3000K-Belles	HML640A-D0.2*60-Belles	12	590	3000	30000	640	160	90	/	735	440	360	0.11642	600	12
	140053339	LED-HML640A-D0.2*60-4000K-Belles	HML640A-D0.2*60-Belles	12	640	4000	30000	640	160	90	/	735	440	360	0.11642	600	12
	140053340	LED-HML640A-D0.2*60-6500K-Belles	HML640A-D0.2*60-Belles	12	660	6500	30000	640	160	90	/	735	440	360	0.11642	600	12
	140053329	LED-HML455A-D0.2*40-3000K-Knight	HML455A-D0.2*40-Knight	8	390	3000	30000	455	125	45	/	500	335	255	0.04271	600	12
	140053330	LED-HML455A-D0.2*40-4000K-Knight	HML455A-D0.2*40-Knight	8	420	4000	30000	455	125	45	/	500	335	255	0.04271	600	12
	140053331	LED-HML455A-D0.2*40-6500K-Knight	HML455A-D0.2*40-Knight	8	430	6500	30000	455	125	45	/	500	335	255	0.04271	600	12
	140053332	LED-HML600A-D0.2*60-3000K-Knight	HML600A-D0.2*60-Knight	12	590	3000	30000	600	125	45	/	640	335	255	0.05467	600	12
	140053333	LED-HML600A-D0.2*60-4000K-Knight	HML600A-D0.2*60-Knight	12	640	4000	30000	600	125	45	/	640	335	255	0.05467	600	12
	140053334	LED-HML600A-D0.2*60-6500K-Knight	HML600A-D0.2*60-Knight	12	660	6500	30000	600	125	45	/	640	335	255	0.05467	600	12
	140050864	LED HML549 10W 4000K XIAOBAI IBU	LED HML549 10W	10		4000	30000	586	64	50	/	610	300	205	0.03752	600	12
	140047195	LED-HML605-12W-3000K-Eva-CT	HML605-D0.2*60-Eva	12	812	3000	30000	605	60	108	/	660	450	435	0.12920	600	12
	140047196	LED-HML605-12W-4000K-Eva-CT	HML605-D0.2*60-Eva	12	812	4000	30000	605	60	108	/	660	450	435	0.12920	600	12
	140047197	LED-HML605-12W-6500K-Eva-CT	HML605-D0.2*60-Eva	12	812	6500	30000	605	60	108	/	660	450	435	0.12920	600	12
	140047192	LED-HML849-18W-3000K-Eva-CT	HML849-D0.2*90-Eva	18	1245	3000	30000	905	60	108	/	945	380	400	0.14364	600	12
	140047193	LED-HML849-18W-4000K-Eva-CT	HML849-D0.2*90-Eva	18	1245	4000	30000	905	60	108	/	945	380	400	0.14364	600	12
	140047194	LED-HML849-18W-6500K-Eva-CT	HML849-D0.2*90-Eva	18	1245	6500	30000	905	60	108	/	945	380	400	0.14364	600	12
	140047189	LED-HML549-10W-3000K-Adam-CT	HML549-D0.2*60-Adam	10	653	3000	30000	625	57	70	/	653	260	248	0.04211	600	12
	140047190	LED-HML549-10W-4000K-Adam-CT	HML549-D0.2*60-Adam	10	653	4000	30000	625	57	70	/	653	260	248	0.04211	600	12
	140047191	LED-HML549-10W-6500K-Adam-CT	HML549-D0.2*60-Adam	10	653	6500	30000	625	57	70	/	653	260	248	0.04211	600	12
	140047186	LED-HML849-18W-3000K-Adam-CT	HML849-D0.2*90-Adam	18	1061	3000	30000	925	57	70	/	945	270	245	0.06251	600	12
	140047187	LED-HML849-18W-4000K-Adam-CT	HML849-D0.2*90-Adam	18	1061	4000	30000	925	57	70	/	945	270	245	0.06251	600	12
	140047188	LED-HML849-18W-6500K-Adam-CT	HML849-D0.2*90-Adam	18	1061	6500	30000	925	57	70	/	945	270	245	0.06251	600	12
	140047198	LED-HML549-12W-3000K-Arael-CT	HML549-D0.2*60-Arael	12	753	3000	30000	586	115	60	/	610	420	260	0.06661	600	12
	140047199	LED-HML549-12W-4000K-Arael-CT	HML549-D0.2*60-Arael	12	753	4000	30000	586	115	60	/	610	420	260	0.06661	600	12
	140047200	LED-HML549-12W-6500K-Arael-CT	HML549-D0.2*60-Arael	12	753	6500	30000	586	115	60	/	610	420	260	0.06661	600	12
	140047201	LED-HML549-12W-3000K-Ramile-CT	HML549-D0.2*60-Ramile	12	695	3000	30000	600	45	80	/	625	220	280	0.03850	600	12
	140047202	LED-HML549-12W-4000K-Ramile-CT	HML549-D0.2*60-Ramile	12	695	4000	30000	600	45	80	/	625	220	280	0.03850	600	12
	140047203	LED-HML549-12W-6500K-Ramile-CT	HML549-D0.2*60-Ramile	12	695	6500	30000	600	45	80	/	625	220	280	0.03850	600	12

TABLE LAMP-READING & WORKING

Picture	SAP Code	Product Name	Model	Power (W)	Luminous Flux (lm)	CCT (K)	LifeTime (h)	Dimension (mm)				Outer Box Dimension (mm)				MOQ	Packing Quantity (pcs)
								Length	Width	Height	Diameter	Length	Width	Height	Volume (m ³)		
	140057226	MT-HY03T-SmartO-RGB-BT	MT-SO-BT	7	200	4000K+RGB	15000	204	163	186	/	459	463	186	0.040	500	4
	140067477	LED MT 5W Dim 4000K Grace White	LED MT 5W Dim Grace	5	150-600	4000	15000	296	124	354	/	400	200	300	0.024	1000	6
	140067476	LED-Cool-1.5m-5W-4000K	LED Cool 1.5m 5W	5	300	4000	20000	300	22	14	/	335	315	200	0.021	1000	30
	140067478	LED MT 3.5W 4000K Lucia Blue	LED MT 3.5W Lucia	5	200	4000	15000	468	15	95	/	545	370	295	0.059	1000	6
	140067479	LED MT 3.5W 4000K Lucia Golden	LED MT3.5W Lucia	5	200	4000	15000	468	15	95	/	545	370	295	0.059	1000	6
	140058613	LED MT 3W Dim 4000K White Pipe	MT-pipe	3	60	4000	20000	118	66	420	/	560	400	285	0.064	600	20
	140058614	LED MT 6W 4000K White Studio	MT-S-BASIC	6	250	4000	20000	320	166	420	/	385	425	480	0.079	600	6
	140058615	LED MT 6W 4000K Gold Studio	MT-S-BASIC	6	250	4000	20000	320	166	420	/	385	425	480	0.079	600	6
	140058616	LED MT 8.5W Dim BC White Studio	MT-S-Dim2	8.5	400	3000-6000	20000	320	166	420	/	385	425	480	0.079	600	6
	140058617	LED MT 8.5W Dim BC Gold Studio	MT-S-Dim2	8.5	400	3000-6000	20000	320	166	420	/	385	425	480	0.079	600	6
	140058776	LED MT 6W 4000K White Explorer	MT-E-BASIC	6	250	4000	30000	450	198	165	/	626	480	435	0.131	600	6
	140058777	LED MT 6.5W Dim BC White Explorer	MT-E-DIM2	6.5	280	3000-6000	30000	450	198	165	/	626	480	435	0.131	600	6
	140050049	LED HTL 8.5W Dim 4000K Toronto White ES	LED HTL 8.5W Dim	8.5	400	4000	15000	200	156	450	/	585	245	355	0.051	500	6
	140050050	LED HTL 8.5W Dim 4000K Toronto Black ES	LED HTL 8.5W Dim	8.5	400	4000	15000	200	156	450	/	585	245	355	0.051	500	6
	140060292	LED-NL-Lotus-WBP (3in1)	LED-Lotus	0.3	14	3000K	15000	182	210	19.5	/	365	218	198	0.016	1000	20
	523006000910	LED MT 3W 4000K Windy White	LED MT 3W 4000K Windy	3	110	4000K	25000	120	120	407	/	520	265	290	0.040	1000	8
	523006001010	LED MT 3W 4000K Windy Blue	LED MT 3W 4000K Windy	3	110	4000K	25000	120	120	407	/	520	265	290	0.040	1000	8
	523006001110	LED MT 3W 4000K Windy Pink	LED MT 3W 4000K Windy	3	110	4000K	25000	120	120	407	/	520	265	290	0.040	1000	8
	523006001210	LED MT 5W 4000K Reader	LED MT 5W 4000K Reader	5	200	4000K	20000	104	104	277	/	445	330	305	0.448	1000	12

WALL LAMP-OPTIMAL AMBIENCE

Picture	SAP Code	Product Name	Model	Power (W)	Luminous Flux (lm)	CCT (K)	LifeTime (h)	Dimension (mm)				Outer Box Dimension (mm)				MOQ	Packing Quantity (pcs)
								Length	Width	Height	Diameter	Length	Width	Height	Volume (m ³)		
	140048747	MB115-Y60	MB115-Y60	Max 60	/	/	/	235	115	155	/	/	645	345	0.062307	1000	8
	140048748	MB315-Y60*2	MB315-Y60*2	Max 60*2	/	/	/	235	315	155	/	/	480	345	0.0621	1000	4
	140048749	MB130-Y60	MB130-Y60	Max 60	/	/	/	310	130	165	/	/	485	445	0.07122225	1000	6
	140048750	MB370-Y60*2	MB370-Y60*2	Max 60*2	/	/	/	320	370	170	/	/	645	425	0.0932025	1000	4